



Cumulative Contents

*Obituary – Laurens L.M. van Deenen*ix *L. Otvos Jr., L. Urge, Z.Q. Xiang, G.R. Krivulka,
L. Nagy, G.I. Szendrei and H.C.J. Ertl (USA)* 68*Information for Contributors*xi Effect of rate of intracellular transport and diacytosis
on cytotoxicity of hybrid toxins. Study with hy-
brids using hepatic asialoglycoprotein receptor-
mediated endocytosis*Regular Section**Regular Papers*LDL and acetyl-LDL inhibit the NK activity and are
taken up by CD56⁺ lymphocytes1 *L. Juompan, G.J. Fournié and H. Benoist (France)* 77Analysis of the NADPH oxidase components during
differentiation of HL-60 cells to eosinophilic lin-
eageEnhancement of daunomycin toxicity by the differ-
entiation inducer hexamethylene bisacetamide in*D. Miyamoto, A. Someya, H. Nunoi, I. Nagaoka
and T. Yamashita (Japan)*

erythroleukemia cells

Glucocorticoid hormone binding to rat adipocytes
*J. Sjögren, M. Weck, A. Nilsson, M. Ottosson and
P. Björntorp (Sweden)*89 *P. Pietrangeli, C. Steinkühler, L. Marcocci, J.Z.
Pedersen, B. Mondovì and I. Mavelli (Italy)*Energetic modulation of cardiac inotropism and
sarcoplasmic reticular Ca²⁺ uptake99 *R.T. Mallet and R. Bünger (USA)*Altered interaction of human granulation-tissue fi-
broblasts with fibronectin is regulated by α5β1
integrin

Subsection

*L. Häkkinen, J. Heino, L. Koivisto and H. Larjava
(Finland, Canada)*Neutrophil control of formylmethionyl-leucyl-phen-
ylalanine induced mobilization of secretory ves-
icles and NADPH-oxidase activation: effect of an
association of the ligand-receptor complex to the
cytoskeleton*H. Lundqvist, M. Gustafsson, A. Johansson, E.
Särndahl and C. Dahlgren (Sweden)*

103 Characterization of the three different states of the

Dietary modulation of rat colonic cAMP-dependent
protein kinase activity

cholecystokinin (CCK) receptor in pancreatic acini

*H.M. Aukema, L.A. Davidson, W.-C. Chang, J.R.
Lupton, J.N. Derr and R.S. Chapkin (USA)**V.D. Talkad, R.J. Patto, D.C. Metz, R.J. Turner,
K.P. Fortune, S.T. Bhat and J.D. Gardner (USA)*Modulation of guanylate cyclase-coupled atrial natri-
uretic factor receptor activity by mastoparan and
ANF in murine Leydig tumor cells: role of G-pro-
teins

Biochemical regulation of the three different states

*M.L. Khurana and K.N. Pandey (USA)*of the cholecystokinin (CCK) receptor in pan-
creatic aciniGlycosylation of synthetic T helper cell epitopic
peptides influences their antigenic potency and
conformation in a sugar location-specific manner*P.K. Pandya, S.-c. Huang, V.D. Talkad, S.A. Wank
and J.D. Gardner (USA)*117 Effects of cholecystokinin (CCK) and other secreta-
gogues on isoforms of protein kinase C (PKC) in

pancreatic acini

*D.A. Pollo, J.J. Baldassare, T. Honda, P.A. Hen-
derson, V.D. Talkad and J.D. Gardner (USA)*

127 Specific binding of dehydroepiandrosterone sulfate

to rat liver cytosol: a possible association with

peroxisomal enzyme induction

*J. Yamada, H. Sugiyama, M. Sakuma and T. Suga
(Japan)*

139

Activation of phospholipase D in human platelets by collagen and thrombin and its relationship to platelet aggregation <i>T.M. Chiang (USA)</i>	147	²³ Na nuclear magnetic resonance study of intracellular sodium in vascular endothelial cells <i>M.L.H. Gruwel, C. Alves and J. Schrader (Germany)</i>	228
Short Sequence-Paper			
Characterization of a rat cDNA clone encoding calcium/calmodulin-dependent protein kinase I <i>F.S. Cho, K.S. Phillips, B. Bogucki and T.E. Weaver (USA)</i>	156	Analysis of successive endocytic compartments isolated from <i>Dictyostelium discoideum</i> by magnetic fractionation <i>K.V. Nolta, J.M. Rodriguez-Paris and T.L. Steck (USA)</i>	237
Hydrolysis of cell surface inositol phospholipid leads to the delayed stimulation of phosphatidylinositol synthesis in bovine aortic endothelial cells <i>D.J. Sillence and M.G. Low (USA)</i>			
Role of capsaicin, curcumin and dietary n-3 fatty acids in lowering the generation of reactive oxygen species in rat peritoneal macrophages <i>B. Joe and B.R. Lokesh (India)</i>			
Glutathione S-conjugate transport by cultured human cells <i>C. Olive and P. Board (Australia)</i>			
Macrophages loaded with doxorubicin by ATP-mediated permeabilization: potential carriers for antitumor therapy <i>M. Munerati, R. Cortesi, D. Ferrari, F. Di Virgilio and C. Nastruzzi (Italy)</i>			
Subsection			
Minireview			
Signal recognition and transduction in olfactory neurons <i>H. Breer, K. Raming and J. Krieger (Germany)</i>			
Regular Papers			
Deoxycytidine kinase is phosphorylated in vitro by protein kinase C α <i>L.-M. Wang and G.L. Kucera (USA)</i>	161	Endothelin receptor agonists and antagonists exhibit different dissociation characteristics <i>J.R. Wu-Wong, W.J. Chiou, S.R. Magnuson and T.J. Opgenorth (USA)</i>	288
Leukotriene C4 upregulates collagenase expression and synthesis in human lung fibroblasts <i>L. Medina, J. Pérez-Ramos, R. Ramírez, M. Selman and A. Pardo (México)</i>	168	PAF stimulates cAMP formation in P388D ₁ macrophage-like cells via the formation and secretion of prostaglandin E ₂ in an autocrine fashion <i>R. Asmis and E.A. Dennis (USA)</i>	295
Phencyclidine inhibits epinephrine-stimulated platelet aggregation independently of high affinity N-methyl-D-aspartate (NMDA)-type glutamate receptors <i>R.E. Raulli, B. Jackson, N. Tandon, M. Mattson, K. Rice and G.A. Jamieson (USA)</i>	175	Possible involvement of phosphatidylinositol-specific phospholipase C related to pertussis toxin-sensitive GTP-binding proteins during adipocyte differentiation of 3T3-L1 fibroblasts: negative regulation of protein kinase C <i>T. Uehara, S.-i. Hoshino, M. Ui, Y. Tokumitsu and Y. Nomura (Japan)</i>	302
Hematopoietic colony stimulatory factor formation by murine mesangial cells: gene expression and biological activity <i>M.R. Jadus, R. Pai, E. Horansky, H.T. Wepsic, M.A. Kirschenbaum and V.S. Kamanna (USA)</i>	181	Recovery from acute glucagon challenge in isolated rat hepatocytes: is protein dephosphorylation synchronous or asynchronous? <i>S.R. Aggarwal and T.N. Palmer (Australia)</i>	311
Amino acid deprivation-induced stress response in the bovine renal epithelial cell line NBL-1: induction of HSP 70 by phenylalanine <i>S. Plakidou-Dymock and J.D. McGivan (UK)</i>	189		
Stimulation of protein synthesis and phospholipase D activity by vasopressin and phorbol ester in L6 myoblasts <i>M.G. Thompson, S.C. Mackie, K.S. Morrison, A. Thom and R.M. Palmer (UK)</i>	198		
Glycogen synthesis from glucose by direct and indirect pathways in hepatocyte cultures from different nutritional states <i>D. Tosh, G. Beresford and L. Agius (UK)</i>	205		
Control of glucose metabolism in newborn pig enterocytes: evidence for the role of hexokinase <i>L. Posho, B. Darcy-Vrillon, M.-T. Morel, C. Cherbuy, F. Blachier and P.-H. Duée (France)</i>	213		
The role of protein kinase C in arachidonic acid release and prostaglandin E production from CHO cells transfected with EGF receptors <i>S. Clark, R. Keogh and M. Dunlop (Australia)</i>	221		

Platelet-activating factor induced calcium mobilization and phosphoinositide metabolism in cultured bovine cerebral microvascular endothelial cells <i>A.-Y. Lin and Y.-C. Rui (P.R. China)</i>	323
Regular Section	
Modulation of ornithine aminotransferase activity by oxygen in rat hepatocyte cultures <i>S. Colombatto, G. Giribaldi, C. Vargiu and M.A. Grillo (Italy)</i>	329
L-Carnitine and some of its analogs delay the onset of apoptotic cell death initiated in murine C2.8 hepatocytic cells after hepatocyte growth factor deprivation <i>R.P. Revoltella, B. Dal Canto, L. Caracciolo and C.M. D'Urso (Italy)</i>	333
Lack of inhibition by dideoxy-forskolin and verapamil of DIDS-sensitive volume-activated Cl ⁻ secretion in human squamous lung carcinoma epithelial cells <i>F.M. Munkonge, L.R. Osborne, D.M. Geddes and E.W.F.W. Alton (UK)</i>	342
The metabolism of vitamin A to 3,4-didehydroretinol can be demonstrated in human keratinocytes, melanoma cells and HeLa cells, and is correlated to cellular retinoid-binding protein expression <i>E. Andersson, C. Björklund, H. Törmä and A. Vahlquist (Sweden)</i>	349
Conductive cation transport in apical membrane vesicles prepared from fetal lung <i>G.K. Fyfe, P.J. Kemp, E.J. Cragoe Jr. and R.E. Olver (UK)</i>	355
Enhanced expression of multiple forms of VEGF is associated with spontaneous immortalization of murine fibroblasts <i>T. Sugihara, S.C. Kaul, Y. Mitsui and R. Wadhwa (Japan)</i>	365
Expression of glycolytic isozymes in rat thymocytes during cell cycle progression <i>R. Netzker, U. Hermfisse, K.-H. Wein and K. Brand (Germany)</i>	371
Effects of extracellular bicarbonate ions and pH on volume-regulatory taurine efflux from rat cerebral cortical slices in vitro: evidence for separate neutral and anionic transport mechanisms <i>R.O. Law (UK)</i>	377
On the mechanism of inactivation of muscle glycogen phosphorylase by insulin <i>C. Villar-Palasi (USA)</i>	384
Exposure of human lymphocytes to bis-(2-chloroethyl)sulfide solubilizes truncated and intact core histones <i>C.B. Millard, H.L. Meier and C.A. Broomfield (USA)</i>	389

Bone marrow activation by immobilized antibodies against tumor cells and immunocytes as a potential cancer immunotherapy <i>B.Z. Packard and G. Parry (USA)</i>	395
Novobiocin activates the mating response in yeast through the α-pheromone receptor, Ste2p <i>M.J. Pocklington and E. Orr (UK)</i>	401
Effect of sucrose monostearate, an emulsifier, on polyamine metabolism and phosphatidylinositol turnover in Ehrlich ascites tumor cells <i>I. Matsui-Yuasa, N. Koike, K. Ohtani and S. Otani (Japan)</i>	413
Inhibition of protein kinase C activity and vascular smooth muscle cell growth by d-α-tocopherol <i>D.O. Boscoboinik, E. Chatelain, G.-M. Bartoli, B. Stäuble and A. Azzi (Switzerland)</i>	418
Factors influencing macrophage activation by muramyl peptides: inhibition of NO synthase activity by high levels of NO <i>C. Morin, H. Fessi, J.P. Devissaguet, F. Puisieux and G. Barratt (France)</i>	427
Plasma antiproteinase screen and neutrophil-mediated platelet activation. A major role played by α ₁ antitrypsin <i>M. Chignard, E. Hazouard, P. Renesto, A. Laine, B. Guidet and G. Offenstadt (France)</i>	431
Further evidence of different lactoferrin and transferrin binding sites on human HT29-D4 cells. Effects of lysozyme, fucose and cathepsin G. Comparison with transferrin <i>D. Roiron-Lagroux and C. Figarella (France)</i>	441
Endocytosis does not necessarily augment the cytotoxicity of adriamycin encapsulated in immunoliposomes <i>S. Suzuki, S. Watanabe, S. Uno, M. Tanaka, T. Masuko and Y. Hashimoto (Japan)</i>	445
Rapid Reports	
Autoregulation of endothelin-1 secretion by cultured human keratinocytes via the endothelin B receptor <i>J.J. Yohn, C. Smith, T. Stevens, J.G. Morelli, L.R. Shurnas, S.J. Walchak, T.A. Hoffman, K.K. Kelley, A. Escobedo-Morse, M. Yanagisawa, M.A. Kane and M.R. Zamora (USA)</i>	454
Inverse relationship of cotranslational translocation with the hydrophobic moment of the bovine pre-proparathyroid hormone signal sequence <i>K. Ahn, D. Chen and B. Kemper (USA)</i>	459

Short Sequence-Paper

Nucleotide and deduced amino acid sequence of a putative higher molecular weight precursor for catalase in sunflower cotyledons <i>S. Kleff, R.N. Trelease and R. Eising (Germany, USA)</i>	463
--	-----

*Subsection**Review*

- A kinase anchor proteins and the intracellular targeting of signals carried by cyclic AMP
C.S. Rubin (USA) 467
- Calpain-induced down-regulation of protein kinase C inhibits dense-granule secretion in human platelets. Inhibition of platelet aggregation or calpain activity preserves protein kinase C and restores full secretion
Y. Patel, V.V. Kakkar and K.S. Authi (UK) 480
- The mitogenic action of recombinant basic FGF in Swiss 3T3 cells is independent of early diacylglycerol production and downregulatable protein kinase C activity
K. Virdee, B.L. Brown and P.R.M. Dobson (UK) 489
- Inhibition of the T-cell receptor-mediated signal transduction by microinjection of anti-Lck monoclonal antibody into T-cells
K. Nakamura, Y. Koga, H. Yoshida, K. Tanaka, M. Sasaki, G. Kimura and K. Nomoto (Japan) 495
- Characterization of integrin expression and regulation on SW-480 human colon adenocarcinoma cells and the effect of rhodostomycin on basal and upregulated tumor cell adhesion
H.-S. Chiang, H.-C. Peng and T.-F. Huang (Taiwan) 506
- Ins 1,4,5-P₃ and Ca²⁺ signaling in quiescent neonatal cardiac myocytes
C.A. Hansen, S.K. Joseph and J.D. Robishaw (USA) 517
- Rat preadipocyte adenylyl cyclase: influence of fat localization and androgenic status
D. Lacasa, D. Denis, B. Agli, P. De Mazancourt and Y. Giudicelli (France) 527
- Characterization of a protein which binds phosphatidylinositol 3,4,5-trisphosphate and 4,5-bisphosphate
W. Ogawa and R.A. Roth (USA) 533
- Levels and localization of group II phospholipase A₂ and annexin I in interleukin- and dexamethasone-treated rat mesangial cells: evidence against annexin mediation of the dexamethasone-induced inhibition of group II phospholipases A₂
M.J.B.M. Vervoordeldonk, C.G. Schalkwijk, B.S. Vishwanath, A.J. Aarsman and H. Van den Bosch (Netherlands, Switzerland) 541

Protein kinase C expression and translocation in dispersed chief cells from guinea-pig stomach
R.D. Raffaniello and J.-P. Raufman (USA) 551

Role of sialic acid residues in the in vitro superactivity of human choriogonadotropin (hCG) in rat Leydig cells
F. Apparailly and Y. Combarou (France) 559

Cyclic AMP- plus ATP-dependent modulation of the NADH oxidase activity of porcine liver plasma membranes
D.J. Morré, P. Navas, J.-C. Rodriguez-Aguilera, D.M. Morré, J.M. Villalba, R. De Cabo and J. Lawrence (USA, Spain) 566

U-73122, a phospholipase C antagonist, inhibits effects of endothelin-1 and parathyroid hormone on signal transduction in UMR-106 osteoblastic cells
A. Tatrali, S.K. Lee and P.H. Stern (USA) 575

The effect of calcium on mitochondrial contact sites: a study on isolated rat hearts

A. Bakker, I. Bernaert, M. De Bie, T. Ravingerova, A. Ziegelhoff, H. Van Belle and W. Jacob (Belgium, Slovak Republic) 583

Progesterone-induced phospholipid N-methylation and sphingomyelin synthesis in the amphibian oocyte plasma membrane: a second source of the 1,2-diacylglycerol second messenger associated with the G₂/M transition

G.A. Morrill, G.Y. Ma and A.B. Kostellow (USA) 589

Rapid Report

Inhibitory effect of curcumin on epidermal growth factor receptor kinase activity in A431 cells

L. Korutla and R. Kumar (USA) 597

Short Sequence-Paper

Cloning and expression of a cDNA for rat prostacyclin receptor

Y. Sasaki, T. Usui, I. Tanaka, O. Nakagawa, T. Sando, T. Takahashi, T. Namba, S. Narumiya and K. Nakao (Japan) 601

Cumulative Contents

Author Index 611

